L Number	Hits	Search Text	DB	Time stamp
1	145	(((((((network or remote) near3 server$1) and (thin adj1 client$1) same (terminal$1 or machine$1 or computer$1)) and (updat$3 or upgrad$3) same software) and install$5) and configur$5) and monitor$3) and connect$5	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:32
2	145	((((((((network or remote) near3 server$1) and (thin adj1 client$1) same (terminal$1 or machine$1 or computer$1)) and (updat$3 or upgrad$3) same software) and install$5) and configur$5) and monitor$3) and connect$5) and (program$1 or application$1 or script$1)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:46
3	141	(((((((((network or remote) near3 server$1) and (thin adj1 client$1) same (terminal$1 or machine$1 or computer$1)) and (updat$3 or upgrad$3) same software) and install$5) and configur$5) and monitor$3) and connect$5) and (program$1 or application$1 or script$1)) and (web$5 or wireless)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:33
5	141	((((((((((network or remote) near3 server$1) and (thin adj1 client$1) same (terminal$1 or machine$1 or computer$1)) and (updat$3 or upgrad$3) same software) and install$5) and configur$5) and monitor$3) and connect$5) and (program$1 or application$1 or script$1)) and (web$5 or wireless)) and (manage$5 or control$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:43
4	131	((((((((((network or remote) near3 server$1) and (thin adj1 client$1) same (terminal$1 or machine$1 or computer$1)) and (updat$3 or upgrad$3) same software) and install$5) and configur$5) and monitor$3) and connect$5) and (program$1 or application$1 or script$1)) and (web$5 or wireless)) and manage$5	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:34
6	92	((((((((((network or remote) near3 server$1) and (thin adj1 client$1) same (terminal$1 or machine$1 or computer$1)) and (updat$3 or upgrad$3) same software) and install$5) and configur$5) and monitor$3) and connect$5) and (program$1 or application$1 or script$1)) and (web$5 or wireless)) and manage$5) and automate$5	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:42
7	5	((((((((((network or remote) near3 server$1) and (thin adj1 client$1) same (terminal$1 or machine$1 or computer$1)) and (updat$3 or upgrad$3) same software) and install$5) and configur$5) and monitor$3) and connect$5) and (program$1 or application$1 or script$1)) and (web$5 or wireless)) and manage$5) and (automate$5 same centraliz$5)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:43
8	1101	(thin adj1 client) same server$1	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:43
9	1046	((thin adj1 client) same server$1) and (manage$5 or control$3)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:45
10	12	(((thin adj1 client) same server$1) and (manage$5 or control$3)) and (automate$5 same centraliz$5)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:46
11	726	((thin adj1 client) same server$1) and (operating adj1 system$1)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:45
12	953	((thin adj1 client) same server$1) and (install$5 or configur$5)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:45
13	652	(((thin adj1 client) same server$1) and (operating adj1 system$1)) and (install$5 or configur$5)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:45
14	652	((((thin adj1 client) same server$1) and (operating adj1 system$1)) and (install$5 or configur$5)) and (program$1 or application$1 or script$1)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:46
15	8	(((((thin adj1 client) same server$1) and (operating adj1 system$1)) and (install$5 or configur$5)) and (program$1 or application$1 or script$1)) and (automate$5 same centraliz$5)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:49
16	312	(((((thin adj1 client) same server$1) and (operating adj1 system$1)) and (install$5 or configur$5)) and (program$1 or application$1 or script$1)) and (automate$5 or centraliz$5)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:49

17	312	(((((thin adj1 client) same server$1) and (operating adj1 system$1)) and (install$5 or configur$5)) and (program$1 or application$1 or script$1)) and (automate$5 or centraliz$5)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 08:22
18	148	((((((thin adj1 client) same server$1) and (operating adj1 system$1)) and (install$5 or configur$5)) and (program$1 or application$1 or script$1)) and (automate$5 or centraliz$5)) and (GUI)	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:50
19	249	((((((thin adj1 client) same server$1) and (operating adj1 system$1)) and (install$5 or configur$5)) and (program$1 or application$1 or script$1)) and (automate$5 or centraliz$5)) and (GUI or "user interface")	USPAT; US-PGPUB; EPO; JPO	2003/10/02 07:50
20	28550	709/$.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/10/02 08:22
21	139	((((((thin adj1 client) same server$1) and (operating adj1 system$1)) and (install$5 or configur$5)) and (program$1 or application$1 or script$1)) and (automate$5 or centraliz$5)) and 709/$.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/10/02 08:22

PORTAL DIGITAL LIBR

> home > about > feedback > login
US Patent & Trademark Office

Try the *new* Portal design
Give us your opinion after using it.

Search Results

Search Results for: **[thin client <IN> (title, abstract)<AND>(meta_published_date <= 04-01-2001)]**
Found **10** of **224 searched out of 121,350.**

Search within Results

GO > Advanced Search > Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 1 - 10 of 10 short listing

1 The interactive performance of SLIM: a stateless, thin-client architecture 82%
Brian K. Schmidt , Monica S. Lam , J. Duane Northcutt
ACM SIGOPS Operating Systems Review , Proceedings of the seventeenth ACM symposium on Operating systems principles December 1999
Volume 33 Issue 5
Taking the concept of thin clients to the limit, this paper proposes that desktop machines should just be simple, stateless I/O devices (display, keyboard, mouse, etc.) that access a shared pool of computational resources over a dedicated interconnection fabric --- much in the same way as a building's telephone services are accessed by a collection of handset devices. The stateless desktop design provides a useful mobility model in which users can transparently resume their work on any desktop c ...

2 Hans L. Knobloch of IGEL 77%
Marjorie Richardson
Linux Journal August 1999
A talk with the head of the company that invented the thin client

3 An improved method for creating dynamic web forms using APL 77%
Steven J. Halasz
Proceedings of the international conference on APL-Berlin-2000 conference July 2000
Volume 31 , 30 Issue 3 , 4
The subject of this paper is "active" or "dynamic" web forms handled by Dyalog APL running on a web server. With "active" web forms, the HTML which specifies form controls is generated dynamically by a server program, in contrast to "static" web forms in which the HTML is fixed and does not vary from one page hit to the next. Also, I will be discussing only "thin client" approaches which minimize the amount of code which runs on the client machine. The method shown, which I call a "standard temp ...

4 A Web-based browsing and spatial analysis system for regional natural resource analysis and 77%

mapping
Ranga Raju Vatsavai , Thomas E. Burk , B. Tyler Wilson , Shashi Shekhar
Proceedings of the eighth ACM international symposium on Advances in geographic information systems November 2000

Proper use and monitoring of our land and environmental resources for quality of life and sustainable growth considerations require that timely and accurate data on land cover and land use be regularly available. Remote sensing is an appropriate tool and NOAA's 1-km AVHRR time series imagery has proven to be an invaluable input for regional level natural resource mapping and monitoring. Many previous efforts addressing the use of satellite-derived data for land cover and land use classificati ...

5 The interactive performance of SLIM: a stateless, thin-client architecture 77%
Brian K. Schimdt , Monica S. Lam , J. Duane Northcut
ACM SIGOPS Operating Systems Review April 2000
Volume 34 Issue 2

6 Implementing incremental code migration with XML 77%
Wolfgang Emmerich , Cecilia Mascolo , Anthony Finkelstein
Proceedings of the 22nd international conference on Software engineering June 2000
We demonstrate how XML and related technologies can be used for code mobility at any granularity, thus overcoming the restrictions of existing approaches. By not fixing a particular granularity for mobile code, we enable complete programs as well as individual lines of code to be sent across the network. We define the concept of incremental code mobility as the ability to migrate and add, remove, or replace code fragments (i.e., increments) in a remote program. The combination of fine-grain ...

7 Stop the Presses 77%
Phil Hughes
Linux Journal November 1998
Caldera Splits: The software company is now two subsidiaries: Caldera Thin Clients, Inc. and Caldera Systems, Inc

8 eSCA: a thin-client/server/Web-enabled system for distributed supply chain simulation 77%
H. Bob Chen , Oliver Bimber , Chintamani Chhatre , Elizabeth Poole , Stephen J. Buckley
Proceedings of the 31st conference on Winter simulation: Simulation---a bridge to the future - Volume 2 December 1999

9 Network computing in the new thin-client age 77%
Jerry Golick
netWorker March 1999
Volume 3 Issue 1

10 Components on the Internet (panel) 77%
Jeffrey Bonar , Nancy Lehrer , Kelly Looney , Randy Schnier , James Russel , Ted Selker , Stewart Nickolas
ACM SIGPLAN Notices , Proceedings of the eleventh annual conference on Object-oriented

programming systems, languages, and applications October 1996
Volume 31 Issue 10
The explosive emergence of the Internet forces us to rethink the traditional roles for client, server, and objects. Component technology has emerged as the way objects and frameworks are packaged for flexible object integration. In particular, components allow users who are not programmers to do their own integration. Up until now, components have mainly focused on object integration on end-users desktops and on a client: compound documents, application assembly, etc.Existing component models li ...

Results 1 - 10 of 10 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.

Search Results

Search Results for: **[thin client <IN> (title, abstract)<AND>(meta_published_date <= 04-01-2001)]**
Found **10** of **224 searched out of 121,350.**

Search within Results

GO > Advanced Search > Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 1 - 10 of 10 short listing

1 The interactive performance of SLIM: a stateless, thin-client architecture 82%
Brian K. Schmidt , Monica S. Lam , J. Duane Northcutt
ACM SIGOPS Operating Systems Review , Proceedings of the seventeenth ACM symposium on Operating systems principles December 1999
Volume 33 Issue 5
Taking the concept of thin clients to the limit, this paper proposes that desktop machines should just be simple, stateless I/O devices (display, keyboard, mouse, etc.) that access a shared pool of computational resources over a dedicated interconnection fabric --- much in the same way as a building's telephone services are accessed by a collection of handset devices. The stateless desktop design provides a useful mobility model in which users can transparently resume their work on any desktop c ...

2 Hans L. Knobloch of IGEL 77%
Marjorie Richardson
Linux Journal August 1999
A talk with the head of the company that invented the thin client

3 An improved method for creating dynamic web forms using APL 77%
Steven J. Halasz
Proceedings of the international conference on APL-Berlin-2000 conference July 2000
Volume 31 , 30 Issue 3 , 4
The subject of this paper is "active" or "dynamic" web forms handled by Dyalog APL running on a web server. With "active" web forms, the HTML which specifies form controls is generated dynamically by a server program, in contrast to "static" web forms in which the HTML is fixed and does not vary from one page hit to the next. Also, I will be discussing only "thin client" approaches which minimize the amount of code which runs on the client machine. The method shown, which I call a "standard temp ...

4 A Web-based browsing and spatial analysis system for regional natural resource analysis and 77%

mapping
Ranga Raju Vatsavai , Thomas E. Burk , B. Tyler Wilson , Shashi Shekhar
Proceedings of the eighth ACM international symposium on Advances in geographic information systems November 2000

Proper use and monitoring of our land and environmental resources for quality of life and sustainable growth considerations require that timely and accurate data on land cover and land use be regularly available. Remote sensing is an appropriate tool and NOAA's 1-km AVHRR time series imagery has proven to be an invaluable input for regional level natural resource mapping and monitoring. Many previous efforts addressing the use of satellite-derived data for land cover and land use classificati ...

5 The interactive performance of SLIM: a stateless, thin-client architecture 77%
Brian K. Schimdt , Monica S. Lam , J. Duane Northcut
ACM SIGOPS Operating Systems Review April 2000
Volume 34 Issue 2

6 Implementing incremental code migration with XML 77%
Wolfgang Emmerich , Cecilia Mascolo , Anthony Finkelstein
Proceedings of the 22nd international conference on Software engineering June 2000
We demonstrate how XML and related technologies can be used for code mobility at any granularity, thus overcoming the restrictions of existing approaches. By not fixing a particular granularity for mobile code, we enable complete programs as well as individual lines of code to be sent across the network. We define the concept of incremental code mobility as the ability to migrate and add, remove, or replace code fragments (i.e., increments) in a remote program. The combination of fine-grain ...

7 Stop the Presses 77%
Phil Hughes
Linux Journal November 1998
Caldera Splits: The software company is now two subsidiaries: Caldera Thin Clients, Inc. and Caldera Systems, Inc

8 eSCA: a thin-client/server/Web-enabled system for distributed supply chain simulation 77%
H. Bob Chen , Oliver Bimber , Chintamani Chhatre , Elizabeth Poole , Stephen J. Buckley
Proceedings of the 31st conference on Winter simulation: Simulation---a bridge to the future - Volume 2 December 1999

9 Network computing in the new thin-client age 77%
Jerry Golick
netWorker March 1999
Volume 3 Issue 1

10 Components on the Internet (panel) 77%
Jeffrey Bonar , Nancy Lehrer , Kelly Looney , Randy Schnier , James Russel , Ted Selker , Stewart Nickolas
ACM SIGPLAN Notices , Proceedings of the eleventh annual conference on Object-oriented

programming systems, languages, and applications October 1996
Volume 31 Issue 10
The explosive emergence of the Internet forces us to rethink the traditional roles for client, server, and objects. Component technology has emerged as the way objects and frameworks are packaged for flexible object integration. In particular, components allow users who are not programmers to do their own integration. Up until now, components have mainly focused on object integration on end-users desktops and on a client: compound documents, application assembly, etc.Existing component models li ...

Results 1 - 10 of 10 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.